

MARKETING	
Model Number	APFD06JAWW
Description	GE® 6,100 BTU Portable Air Conditioner for Small Rooms up to 250 sq ft.
Commercial Category	Room Air Conditioners_Portable
Base Model	APFD06JAWW
Color	
Brand	GE
Derivative Type	
Estimated Retail Price	0.00
UPC	084691862758
Product Status	Active
First Distribution Date	2020/12/22 12:00:00
Full ADC Availability Date	2021/03/01 12:00:00
Final Production Date	2025/07/14 12:00:00
Manufacturing Location	

OVERVIEW

FEATURES

Product Type	Portable
Refrigerant Type	R410A
Power Cord Length	6'
Plug Type	A / 5-15P
	2 Cooling
	2 Fan Only
Fan Speed Selections	Eco Mode
Mounting Type	
	Easy Access
Filter Type	Permanent Mesh
Area to Cool	150-250
Chassis Type	
LCDI / AFCI power cord	Yes
Room Air Conditioner Features	
Rotary Compressor	
Thermostat Type	Thermistor
Unit Type	
Vent/Air Exchange Exhaust	Front Air Discharge
EER	6.8
Louver Style	2-Way
	Left & Right
Airflow Direction	Up & Down
Airflow (cfm) Roomside	210/170
WiFi Connect	

Connected Capabilities	
Remote Control	Yes
Delay Timer	
Digital Time Temp Display	Yes
	Blue LED
Control Type	Tactile touch pad with LED Display
Operating Temperature Range F	68-80
	24 hr. On/Off Timer
	Auto Restart
	Auto-Evaporation
	Dehumidify Function
Unit Features	Remote Control
Plug Capacity	120V/15A
Airflow Configuration	Single-hose
Exhaust Hose Length	5
Window Exhaust Kit	Yes
Continuous Condensate Drain	Yes
Self-Evaporative	Yes
Room Size (Sq Ft)	

CAPACITY

Dehumidification (pts./hr.)	
Cooling BTUH (MAX)	6100.000000
Dehumidification (pts./day)	55

APPEARANCE

Installation	Extended Length Window Kit - 20" - 48"
Color Appearance	White
Easy-Roll Casters	Yes

WEIGHTS & DIMENSIONS

Overall Depth	13 3/8
Overall Height	27 1/2
Overall Width	14
Approximate Shipping Weight	50 7/10
Net Weight	44 1/10
Minimum Window Opening Height (in.)	5
Min./Max. Window Opening Width (in.)	20/48

POWER / RATINGS

CEER	8.8
Cooling - Rated Cooling Amps AHAM	8.8
Cooling - Watts	1000
Sound Level (Low/High)	52/55 dbA

Voltage (MAX)
Volts/Hertz
Electrical Requirements
Watts
Hertz

115V

WARRANTY

Labor Warranty
Parts Warranty
Warranty Notes

No Warranty
1-Year Replacement
See written warranty for full details

CERTIFICATIONS

Claims & Certifications

ASHRAE 128
CUL
RoHS Compliant
UL
California Prop 65
CSA

ECONOMICAL / QUIET

Sound Level (dBA)
Energy Saver
Quiet Package

52 dBA (Low)
55 dBA (High)

55 dBA

ACCESSORIES

MISCELLANEOUS

FILTER

Primary Product Photo

163454.jpg

Additional Product and Feature Photos